

EAST 6/3/04

L Number	Hits	Search Text	DB	Time stamp
----------	------	-------------	----	------------

1	148	("6029777" "6083142" "6390952" "5217092" "5873613" "6378650" "6186276" "6622354" "6092773" "6192558" "5484132" "5345635" "5940943" "6068226" "6378153" "4538704" "5544723" "6015127" "6561313" "5919117" "6231482" "5397029" "5184488" "4297321" "5244864" "5899289" "6283248" "6336260" "6308345" "4059871" "4787474" "5896628" "5901420" "6142766" "4833442" "5779205" "5769362" "4305614" "4375200" "4519269" "4950845" "5018032" "5345947" "5992191" "6032777" "6123183" "6132332" "6375139" D413786 "5660237").pn. ("4921069" "4765574" "5864928" "6109908" "5848455" "4251061" "4537555" "5012560" "5193253" "5333886" "5597052" "5624046" "5884373" "5931112" "6079576" "6179239" "5199614" "5249851" "5735410" "5821434" "5874888" "4934688" "5183435"	USPAT; US-PGPUB	2004/06/03 08:53
Search History 6/3/04 9:07:00 AM Page 2 C:\APPS\east\workspaces\7874888.wsp				

2	21	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) and ("6029777" "6083142" "6390952" "5217092" "5873613" "6378650" "6186276" "6622354" "6092773" "6192558" "5484132" "5345635" "5940943" "6068226" "6378153" "4538704" "5544723" "6015127" "6561313" "5919117" "6231482" "5397029" "5184488" "4297321" "5244864" "5899289" "6283248" "6336260" "6308345" "4059871" "4787474" "5896628" "5901420" "6142766" "4833442" "5779205" "5769362" "4305614" "4375200" "4519269" "4950845" "5018032" "5345947" "5992191" "6032777" "6123183" "6132332" "6375139" D413786 "5660237").pn. ("4921069" "4765574" "5864928" "6109908" "5848455" "4251061" "4537555" "5012560" "5193253" "5333886" "5597052" "5624046" "5884373" "5931112" "6079576" "6179239" "5449834" "5735410" "5821434"	USPAT	2004/06/03 09:05
Search History 6/3/04 9:07:00 AM Page 3 C:\APPS\least\workspaces\10748548.wsp 5/35410				

3	19336	(182/\$.ccls. or 188/65.1-65.5.ccls.)	USPAT;	2004/06/03 09:02
4	1312	(188/65.1-65.5.ccls. or 182/5,192-193.ccls.)	US-PGPUB USPAT;	2004/06/03 09:04
5	19	((188/65.1-65.5.ccls. or 182/5,192-193.ccls.)) and panic	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/06/03 09:04
6	2	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) and (((188/65.1-65.5.ccls. or 182/5,192-193.ccls.)) and panic)	US-PGPUB; EPO; JPO; DERWENT USPAT	2004/06/03 09:05
-	19332	182/\$.ccls. or 188/65.1-65.5.ccls.	USPAT;	2004/06/03 06:02
-	24	(182/\$.ccls. or 188/65.1-65.5.ccls.) and (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with rope	US-PGPUB USPAT;	2004/06/03 09:02
-	24	(182/\$.ccls. or 188/65.1-65.5.ccls.) and (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4)	USPAT;	2004/06/02 13:52
-	0	(182/\$.ccls. or 188/65.1-65.5.ccls.) and (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4) same overrid\$5	US-PGPUB	2004/06/02 13:48
-	0	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4) same overrid\$5	USPAT;	2004/06/03 05:58
-	22	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4) same safety	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/06/03 09:00
-	22	(US-6561313-\$ or US-6425463-\$ or US-5947229-\$ or US-5601154-\$ or US-5577576-\$ or US-5544723-\$ or US-5360083-\$ or US-5076400-\$ or US-5056170-\$ or US-4729454-\$).did. or (US-20030034203-\$).did. or (WO-2079069-\$ or FR-2706314-\$).did. or (JP-04169656-\$).did. or (FR-2805577-\$ or DE-19626429-\$ or EP-688581-\$ or EP-398819-\$ or DE-3843917-\$ or GB-2191549-\$ or FR-2481331-\$ or FR-2359064-\$).did.	USPAT;	2004/06/02 13:52
-	2	((US-6561313-\$ or US-6425463-\$ or US-5947229-\$ or US-5601154-\$ or US-5577576-\$ or US-5544723-\$ or US-5360083-\$ or US-5076400-\$ or US-5056170-\$ or US-4729454-\$).did. or (US-20030034203-\$).did. or (WO-2079069-\$ or FR-2706314-\$).did. or (JP-04169656-\$).did. or (FR-2805577-\$ or DE-19626429-\$ or EP-688581-\$ or EP-398819-\$ or DE-3843917-\$ or GB-2191549-\$ or FR-2481331-\$ or FR-2359064-\$).did.) not ((182/\$.ccls. or 188/65.1-65.5.ccls.) and (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4))	USPAT;	2004/06/02 13:52
-	0	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$4) same overrid\$5	USPAT;	2004/06/03 05:59
-	1	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$4) and panic	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/06/03 06:00
-	0	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$4) and override	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/06/03 06:01
-	1	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$4) and pressure adj sensitive	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/06/03 06:03

-	19336	182/\$.ccls. or 188/65.1-65.5.ccls.	USPAT; US-PGPUB	2004/06/03 06:02
-	67	(182/\$.ccls. or 188/65.1-65.5.ccls.) and override	USPAT; US-PGPUB	2004/06/03 06:02
-	78	petzl.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 06:20
-	142	zedel.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:36
-	55	zedel.asn. and (safe or safety or override)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 06:09
-	149	(autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 06:10
-	6	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and zedel.asn. and (safe or safety or override)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:43
-	209	petzl.asn. or zedel.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 06:20
-	0	(petzl.asn. or zedel.asn.) and panic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 06:20
-	0	(petzl.asn. or zedel.asn.) and antipanic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 06:20
-	0	(182/\$.ccls. or 188/65.1-65.5.ccls.) and anti adj panic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 06:21
-	0	(182/\$.ccls. or 188/65.1-65.5.ccls.) and antipanic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:34
-	0	(182/\$.ccls. or 188/65.1-65.5.ccls.) and rope with quickly adj pass	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:34
-	0	zedel.asn. and different adj pressure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:36
-	0	zedel.asn. and spring and axle and lever	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:37
-	0	zedel.asn. and spring and lever and force with isolation	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:37
-	0	zedel.asn. and spring and lever and isolation	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:37
-	9	zedel.asn. and spring and lever and rope with lock\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:40

-	0	belayer with panic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:40
-	0	belayer with antipanic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:40
-	21	(panic or antipanic) with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:42
-	33	pressure adj sensitive with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:43
-	0	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and pressure adj sensitive with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:45
-	382	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) andj sensitive with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:45
-	0	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and sensitive with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:45
-	49	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and (pressure or load) with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:56
-	23	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) same (pressure or load) with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:57
-	4	(((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) same (pressure or load) with rope) not (((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) with (pressure or load) with rope)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:57
-	19	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) with (pressure or load) with rope	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 07:59
-	4	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and (188/65.1-65.5.ccls. or 182/5,192-193.ccls.) and danger	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 08:02
-	21	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and (188/65.1-65.5.ccls. or 182/5,192-193.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 08:09
-	12	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and (188/65.1-65.5.ccls. or 182/5,192-193.ccls.) and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 08:10
-	3	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and (188/65.1-65.5.ccls. or 182/5,192-193.ccls.) and spring with (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 09:03

-	21	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and spring with (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 08:14
-	2	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and spring with (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (panic or emergency or abnormal or antipanic or proper adj fuction\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 08:16
-	3	((autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (rope or belay\$4 or rappel\$)) and (autolock\$4 or auto adj lock\$4 or selflock\$4 or self adj lock\$4 or selfjamming or self adj jamming or selfbraking or self adj braking) with (panic or emergency or abnormal or antipanic or proper adj fuction\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/03 08:17

-	148	("6029777" "6083142" "6390952" "5217092" "5873613" "6378650" "6186276" "6622354" "6092773" "6192558" "5484132" "5345635" "5940943" "6068226" "6378153" "4538704" "5544723" "6015127" "6561313" "5919117" "6231482" "5397029" "5184488" "4297321" "5244864" "5899289" "6283248" "6336260" "6308345" "4059871" "4787474" "5896628" "5901420" "6142766" "4833442" "5779205" "5769362" "4305614" "4375200" "4519269" "4950845" "5018032" "5345947" "5992191" "6032777" "6123183" "6132332" "6375139" D413786 "5660237").pn. ("4921069" "4765574" "5864928" "6109908" "5848455" "4251061" "4537555" "5012560" "5193253" "5333886" "5597052" "5624046" "5884373" "5931112" "6079576" "6179239" "5199614" "5249851" "5755411" "5821434" "5874883" "4834688" "5183435"	USPAT; US-PGPUB	2004/06/03 08:53
Search History 6/3/04 9:07:00 AM Page 8 C:\APPS\least\workspaces\18748838.wsp				

-	10	(US-5577576-\$ or US-5360083-\$ or US-6378650-\$ or US-5850893-\$ or US-5850890-\$ or US-5544723-\$ or US-5076400-\$ or US-5054577-\$).did. or (US-20040020727-\$).did. or (EP-593369-\$).did.	USPAT; US-PGPUB; DERWENT	2004/06/03 08:19
---	----	---	--------------------------------	------------------

PLUS 6/3/04

Butler, Douglas

From: PLUS
Sent: Wednesday, June 02, 2004 2:12 PM
To: Butler, Douglas
Subject: PLUS Results for 10748858

Here are the PLUS search results for 10748858.

This search was prepared by the staff of the Scientific and Technical Information Center, SIRA. If you have questions or comments about this search, please reply via email to PLUS@uspto.gov.



10748858_QUAL.txt



10748858_LIST.txt



10748858_WEST.txt



10748858_EAST.txt



10748858.east



10748858_CLS.txt



10748858_CLSTITLES.t



10748858_WDS.txt

xi

PLUS Search Results for S/N 10748858, Searched June 02, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

6029777	4921069	4371240
6083142	4765574	4386799
6390952	5864928	4441586
5217092	6109908	4491291
5873613	5848455	4560029
6378650	4251061	4592116
6186276	4537555	4615532
6622354	5012560	4828210
6092773	5193253	4848261
6192558	5333886	4896234
5484132	5597052	4909321
5345635	5624046	4995629
5940943	5884373	4997041
6068226	5931112	5199774
6378153	6079576	5228540
4538704	6179239	5269760
5544723	5199614	5294070
6015127	5249851	5323873
6561313	5735410	5343723
5919117	5821434	5348117
6231482	4934688	5487450
5397029	5183435	5530999
5184488	5382948	5572835
4297321	4764141	5671509
5244864	4511103	5701209
5899289	5352160	5860493
6283248	5458542	5862415
6336260	5480358	5883773
6308345	5514045	5956982
4059871	5588664	6056086
4787474	4344497	6099503
5896628	4369868	6120170
5901420	4269294	6260529
6142766	4347760	6340073
4833442	4536916	6685171
5779205	4557358	3820160
5769362	5586632	4134282
4305614	5597058	4373795
4375200	5908080	4384421
4519269	5548873	4401379
4950845	6000890	4435649
5018032	4835999	4478554
5345947	4883445	4527880
5992191	5467666	4534621
6032777	5850893	4546846
6123183	5924522	4553414
6132332	6006688	4591932
6375139	4242768	4610413
D413786	4308643	

10748858_LIST

5660237 4318649

10748858_EAST

(6029777
6083142
6390952
5217092
5873613
6378650
6186276
6622354
6092773
6192558
5484132
5345635
5940943
6068226
6378153
4538704
5544723
6015127
6561313
5919117
6231482
5397029
5184488
4297321
5244864
5899289
6283248
6336260
6308345
4059871
4787474
5896628
5901420
6142766
4833442
5779205
5769362
4305614
4375200
4519269
4950845
5018032
5345947
5992191
6032777
6123183
6132332
6375139
D413786
5660237) .pn.
(4921069
4765574
5864928
6109908
5848455
4251061
4537555
5012560
5193253

10748858_EAST

5333886
5597052
5624046
5884373
5931112
6079576
6179239
5199614
5249851
5735410
5821434
4934688
5183435
5382948
4764141
4511103
5352160
5458542
5480358
5514045
5588664
4344497
4369868
4269294
4347760
4536916
4557358
5586632
5597058
5908080
5548873
6000890
4835999
4883445
5467666
5850893
5924522
6006688
4242768
4308643
4318649) .pn.
(4371240
4386799
4441586
4491291
4560029
4592116
4615532
4828210
4848261
4896234
4909321
4995629
4997041
5199774
5228540
5269760
5294070
5323873

10748858_EAST

5343723
5348117
5487450
5530999
5572835
5671509
5701209
5860493
5862415
5883773
5956982
6056086
6099503
6120170
6260529
6340073
6685171
3820160
4134282
4373795
4384421
4401379
4435649
4478554
4527880
4534621
4546846
4553414
4591932
4610413) .pn.

10748858_CLS
Most Frequently Occurring Classifications of Patents Returned
From A Search of 10748858 on June 02, 2004

Original Classifications

4 182/5
4 248/231.9
4 482/37
3 24/421
2 7/116
2 24/132R
2 24/134R
2 24/287
2 182/193
2 188/65.4
2 360/251.3
2 396/413
2 474/117

Cross-Reference Classifications

7 182/5
5 188/65.1
4 182/193
4 248/925
3 24/136R
3 24/424
3 24/599.6
3 180/287
3 182/192
3 182/7
3 188/65.5
3 192/54.2
3 192/54.5
3 192/93A
2 24/115G
2 24/115R
2 24/132WL
2 24/134R
2 24/419
2 24/429
2 70/226
2 70/259
2 166/385
2 188/65.2
2 192/114R
2 192/69.4
2 294/51
2 360/137
2 360/251.4
2 360/74.2
2 403/1
2 474/135
2 482/51

Combined Classifications

11 182/5
6 182/193
5 188/65.1
4 24/134R

10748858_CLS

4 24/421
4 180/287
4 182/7
4 188/65.5
4 192/54.2
4 248/231.9
4 248/925
4 482/37
3 24/136R
3 24/424
3 24/599.6
3 182/192
3 188/65.2
3 188/65.4
3 192/54.5
3 192/93A
3 360/137
3 360/251.3
3 474/117
3 474/135
2 7/116
2 24/115G
2 24/115R
2 24/132R
2 24/132WL
2 24/287
2 24/419
2 24/429
2 70/226
2 70/259
2 114/344
2 166/377
2 166/385
2 180/247
2 192/114R
2 192/35
2 192/69.4
2 192/69.41
2 192/69.43
2 254/391
2 294/51
2 360/251.4
2 360/74.2
2 396/413
2 403/1
2 482/51

10748858_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned
From A Search of 10748858 on June 02, 2004

11 182/5 (4 OR, 7 XR)
 Class 182 : FIRE ESCAPE, LADDER, OR SCAFFOLD
 182/3 TORSO HARNESS
 182/5 .Strand-engaging, with descent retarder

6 182/193 (2 OR, 4 XR)
 Class 182 : FIRE ESCAPE, LADDER, OR SCAFFOLD
 182/189 SINGLE STILE, STRAND OR POLE
 182/190 .Flexible
 182/191 ..With sliding carrier
 182/193 ...Occupant-actuated brake

5 188/65.1 (0 OR, 5 XR)
 Class 188 : BRAKES
 188/65.1 STRAND

4 24/134R (2 OR, 2 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/115R CORD AND ROPE HOLDERS
 24/132R .Pivoted part
 24/134R ..Cam lever

4 24/421 (3 OR, 1 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/381 ZIPPER OR REQUIRED COMPONENT THEREOF
 24/415 .Slider having specific configuration,
 construction, adaptation, or material
 24/418 ..Including position locking-means attached
 thereto
 24/420 ...Having surface engaging element shifted by
 reorientation of pull tab
 24/421 Resilient or spring biased element

4 180/287 (1 OR, 3 XR)
 Class 180 : MOTOR VEHICLES
 180/271 WITH MEANS FOR PROMOTING SAFETY OF VEHICLE, ITS
 OCCUPANT OR LOAD, OR AN EXTERNAL OBJECT
 180/287 .By preventing unauthorized or unintended
 access or use

4 182/7 (1 OR, 3 XR)
 Class 182 : FIRE ESCAPE, LADDER, OR SCAFFOLD
 182/3 TORSO HARNESS
 182/5 .Strand-engaging, with descent retarder
 182/7 ..With seat

4 188/65.5 (1 OR, 3 XR)
 Class 188 : BRAKES
 188/65.1 STRAND
 188/65.4 .Tortuous grip
 188/65.5 ..Adjustable

4 192/54.2 (1 OR, 3 XR)
 Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES

10748858_CLSTITLES

192/54.1 .Torque responsive
192/54.2 ..Hub clutch

4 248/231.9 (4 OR, 0 XR)

Class 248 : SUPPORTS
248/200 BRACKETS
248/205.1 .Specially mounted or attached
248/231.9 ..In aperture of support

4 248/925 (0 OR, 4 XR)

Class 248 : SUPPORTS
248/925 MOUNTAIN CLIMBING AIDS (E.G., PITONS ETC.)

4 482/37 (4 OR, 0 XR)

Class 482 : EXERCISE DEVICES
482/23 GYMNASTIC
482/37 .Arm or hand type climbing arrangement

3 24/136R (0 OR, 3 XR)

Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
24/115R CORD AND ROPE HOLDERS
24/136R .Sliding part or wedge

3 24/424 (0 OR, 3 XR)

Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
24/381 ZIPPER OR REQUIRED COMPONENT THEREOF
24/415 .Slider having specific configuration,
construction, adaptation, or material
24/418 ..Including position locking-means attached
thereto
24/420 ...Having surface engaging element shifted by
reorientation of pull tab
24/421Resilient or spring biased element
24/424Biased by distinct spring

3 24/599.6 (0 OR, 3 XR)

Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
24/572.1 SEPARABLE-FASTENER OR REQUIRED COMPONENT
THEREOF (e.g., projection and cavity to complete i

nterlock)

24/591.1 .Including member having distinct formations
and mating member selectively interlocking therewit

h

24/598.1 ..Projection passes through cavity then moves
toward noninserted portion of its member to complete
interlock (e.g., snap hook)

24/598.4 ...Hook type projection member

24/598.7Noninserted portion of projection member
includes movably connected gate for closing access thr

oat

24/599.1Pivotally connected gate

24/599.4Having means biasing gate about pivot

24/599.6Includes distinct biasing spring

3 182/192 (0 OR, 3 XR)

Class 182 : FIRE ESCAPE, LADDER, OR SCAFFOLD
182/189 SINGLE STILE, STRAND OR POLE

10748858_CLSTITLES

- 182/190 .Flexible
- 182/191 ..With sliding carrier
- 182/192 ...Load-responsive brake
- 3 188/65.2 (1 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/65.1 STRAND
 - 188/65.2 .With attaching means
- 3 188/65.4 (2 OR, 1 XR)
 - Class 188 : BRAKES
 - 188/65.1 STRAND
 - 188/65.4 .Tortuous grip
- 3 192/54.5 (0 OR, 3 XR)
 - Class 192 : CLUTCHES AND POWER-STOP CONTROL
 - 192/30R CLUTCHES
 - 192/54.1 .Torque responsive
 - 192/54.5 ..Cam operated
- 3 192/93A (0 OR, 3 XR)
 - Class 192 : CLUTCHES AND POWER-STOP CONTROL
 - 192/30R CLUTCHES
 - 192/82R .Operators
 - 192/93R ..Cam
 - 192/93A ...Axially thrusting cams rotatable about clutch axis
- 3 360/137 (1 OR, 2 XR)
 - Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR RETRIEVAL
 - 360/137 MISCELLANEOUS
- 3 360/251.3 (2 OR, 1 XR)
 - Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR RETRIEVAL
 - 360/240 HEAD MOUNTING
 - 360/250 .For moving head into/out of transducing position
 - 360/251.1 ..Tape record having linear head retraction movement
 - 360/251.3 ...Cam type
- 3 474/117 (2 OR, 1 XR)
 - Class 474 : ENDLESS BELT POWER TRANSMISSION SYSTEMS OR COMPONENTS
 - 474/101 MEANS FOR ADJUSTING BELT TENSION OR FOR SHIFTING BELT, PULLEY OR GUIDE ROLL
 - 474/113 .Pulley shifter
 - 474/117 ..Spring biased in belt-tensioning direction
- 3 474/135 (1 OR, 2 XR)
 - Class 474 : ENDLESS BELT POWER TRANSMISSION SYSTEMS OR COMPONENTS
 - 474/101 MEANS FOR ADJUSTING BELT TENSION OR FOR SHIFTING BELT, PULLEY OR GUIDE ROLL
 - 474/133 .Guide roll mounted for movement of its axis along arcuate path to tension belt
 - 474/135 ..Guide roll spring biased in belt-tensioning

10748858_CLSTITLES
direction

- 2 7/116 (2 OR, 0 XR)
 Class 007 : COMPOUND TOOLS
 7/114 WEEDING, GARDENING, OR LIGHT AGRICULTURAL OR
 EARTHWORKING USE
 7/116 .Spade or shovel

- 2 24/115G (0 OR, 2 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/115R CORD AND ROPE HOLDERS
 24/115G .Alignable aperture and spring pressed moving
 element

- 2 24/115R (0 OR, 2 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/115R CORD AND ROPE HOLDERS

- 2 24/132R (2 OR, 0 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/115R CORD AND ROPE HOLDERS
 24/132R .Pivoted part

- 2 24/132WL (0 OR, 2 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/115R CORD AND ROPE HOLDERS
 24/132R .Pivoted part
 24/132WL ..Jaws locked together by cam, wedge, lever, or
 screw

- 2 24/287 (2 OR, 0 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/287 FREIGHT CONTAINER TO FREIGHT CONTAINER FASTENER

- 2 24/419 (0 OR, 2 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/381 ZIPPER OR REQUIRED COMPONENT THEREOF
 24/415 .Slider having specific configuration,
 construction, adaptation, or material
 24/418 ..Including position locking-means attached
 thereto
 24/419 ...Protrusion on pull tab directly engaging
 interlocking surfaces

- 2 24/429 (0 OR, 2 XR)
 Class 024 : BUCKLES, BUTTONS, CLASPS, ETC.
 24/381 ZIPPER OR REQUIRED COMPONENT THEREOF
 24/415 .Slider having specific configuration,
 construction, adaptation, or material
 24/429 ..Including pull tab attaching means

- 2 70/226 (0 OR, 2 XR)
 Class 070 : LOCKS
 70/57 SPECIAL APPLICATION
 70/174 .For control and machine elements
 70/225 ..Wheel
 70/226 ...Rotation blocking

10748858_CLSTITLES

- 2 70/259 (0 OR, 2 XR)
 - Class 070 : LOCKS
 - 70/57 SPECIAL APPLICATION
 - 70/237 .For automotive vehicles
 - 70/258 ..Accessories
 - 70/259 ...Spare or mounted wheel or tire

- 2 114/344 (1 OR, 1 XR)
 - Class 114 : SHIPS
 - 114/343 BOATS, BOAT COMPONENT OR ATTACHMENT
 - 114/344 .With wheeled buoyant landing or launching aid

- 2 166/377 (1 OR, 1 XR)
 - Class 166 : WELLS
 - 166/244.1 PROCESSES
 - 166/377 .Disassembling well part

- 2 166/385 (0 OR, 2 XR)
 - Class 166 : WELLS
 - 166/244.1 PROCESSES
 - 166/381 .Placing or shifting well part
 - 166/385 ..Flexible cable or wire

- 2 180/247 (1 OR, 1 XR)
 - Class 180 : MOTOR VEHICLES
 - 180/233 HAVING FOUR WHEELS DRIVEN
 - 180/247 .With manually operated means for disengaging
drive to one or more, but fewer than all, of the four
wheels

- 2 192/114R (0 OR, 2 XR)
 - Class 192 : CLUTCHES AND POWER-STOP CONTROL
 - 192/30R CLUTCHES
 - 192/114R .Locks

- 2 192/35 (1 OR, 1 XR)
 - Class 192 : CLUTCHES AND POWER-STOP CONTROL
 - 192/30R CLUTCHES
 - 192/31 .Automatic
 - 192/32 ..Manual control
 - 192/35 ...Pilot mechanism

- 2 192/69.4 (0 OR, 2 XR)
 - Class 192 : CLUTCHES AND POWER-STOP CONTROL
 - 192/30R CLUTCHES
 - 192/66.1 .Axially engaging
 - 192/69 ..Positive
 - 192/69.4 ...Wheel hub clutched to axle

- 2 192/69.41 (1 OR, 1 XR)
 - Class 192 : CLUTCHES AND POWER-STOP CONTROL
 - 192/30R CLUTCHES
 - 192/66.1 .Axially engaging
 - 192/69 ..Positive
 - 192/69.4 ...Wheel hub clutched to axle
 - 192/69.41Fluid pressure

- 2 192/69.43 (1 OR, 1 XR)

10748858_CLSTITLES

Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES
 192/66.1 .Axially engaging
 192/69 ..Positive
 192/69.4 ...Wheel hub clutched to axle
 192/69.43Manual

2 254/391 (1 OR, 1 XR)
 Class 254 : IMPLEMENTS OR APPARATUS FOR APPLYING PUSHING
 OR PULLING FORCE
 254/389 DEVICE OR MEMBER FOR CONTACTING AND GUIDING
 MOVING CABLE
 254/390 .Including rotatable, cable contacting, pulley
 wheel element
 254/391 ..With mechanism for retarding or preventing
 cable movement or element rotation

2 294/51 (0 OR, 2 XR)
 Class 294 : HANDLING: HAND AND HOIST-LINE IMPLEMENTS
 294/49 HAND FORKS AND SHOVELS
 294/51 .Convertible and combined

2 360/251.4 (0 OR, 2 XR)
 Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR
 RETRIEVAL
 360/240 HEAD MOUNTING
 360/250 .For moving head into/out of transducing
 position
 360/251.1 ..Tape record having linear head retraction
 movement
 360/251.4 ...Solenoid type

2 360/74.2 (0 OR, 2 XR)
 Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR
 RETRIEVAL
 360/69 AUTOMATIC CONTROL OF A RECORDER MECHANISM
 360/71 .Controlling the record
 360/74.1 ..Stopping or reversing
 360/74.2 ...Responsive to reel rotation

2 396/413 (2 OR, 0 XR)
 Class 396 : PHOTOGRAPHY
 396/387 WITH FILM DRIVE
 396/411 .Mechanical detail
 396/413 ..Rewind

2 403/1 (0 OR, 2 XR)
 Class 403 : JOINTS AND CONNECTIONS
 403/1 SELECTIVELY ENGAGEABLE HUB TO SHAFT CONNECTION

2 482/51 (0 OR, 2 XR)
 Class 482 : EXERCISE DEVICES
 482/51 INVOLVING USER TRANSLATION OR PHYSICAL
 SIMULATION THEREOF